Health Home Program Washington	
Health Home Care Coordinators Basic Training	
Perform the National State Westington State Health Care Authority	
66 I diagnosed 'abdominal pain' when the real problem was hunger, I confused social issues with medical problems in other patients, too. I mislabeled the hopelessness of long-term unemployment as depression and the poverty that causes patients to miss pills or appointments as noncompliance. In one older patient, I mistook the inability to read for dementia. My medical training had not prepared me for this ambush of social circumstance. Real-life obstacles had an enormous impact on my patients' lives, but because I had neither the skills nor the resources for treating them, I ignored the social context of disease altogether. 99 —laura Gottlieb, MD University of Califomia San Francisco	
Introductions	
Your name?	
What do you do?	
What agency do you work for?	
What Lead Organization/s will you work with?	
Briefly state, your relevant work experience.	

Purpose Provide the core curriculum for Health Homes in Washington State for Lead Organizations and Care Coordination Organizations (CCOs)	
Learning Objectives and Agenda Overview	
The six Health Home services	
Outreach and engagement strategies	
Care coordination key components and delivery mechanisms Administration of Insignia's Patient Activation Measures * and	
how to use the level of activation to develop a Health Action Plan TRAMMAG	
Learning Objectives and Agenda Overview (cont.)	
Administration of mandatory screens and optional screens	
Documentation of the delivery of Health Home Services in progress notes and Health Action Plans	
Required elements for Care Transitions	

Overview of the Curriculum

Classroom Training $\,$ Manual with important forms and documents $\,$

Location of the manual on the DSHS training Website: https://www.dshs.wa.gov/altsa/stakeholders/washington-health-home-program-core-training

The Health Care Authority (HCA) Website

https://www.hca.va.gov/hillers-providers-partners/programs-and-services/health-homes

Russ (2m April 10 - April 20 - Apri

The DSHS Website

https://wwwdshs.wa.gov/al.tsa/washington-heal.th-home-program

		And may not help you?	- 0	
ALTERAL MATERIAL PROPERTY AND ALTER	Promotive Region a configuration or analysis of the personal promotive and a second promoti		←	Training, resources, newsletter and webinar invitations & presentation are located on the DSHS ALTSA website

	1			. 1	
FΠ	nd	am	ıen	ta	IS

Health Homes and the Affordable Care Act Washington's model

Eligibility

The Health Home services Health Home tiers and billing

10

What are Health Home Services?

Clients receiving Health Home services will be assigned a Health Home Care Coordinator who will partner with client, their families, doctors and other agencies providing services to ensure coordination across these systems of care.

The primary role of the Health Home Care Coordinator is to work with their client to develop a Health Action Plan that is person-centered.

In addition, the Health Home Care Coordinator will make in-person visits and be available by telephone to empower the client to take charge of their wellness.

11

12

Let's look at a sample Health Action Plan (HAP)



Sample	HAP	for	Iordan	Larson

:-188				on Plan	Notific Care Action	Joe	dan	La	INTELNET IN		Name of	D D	6530	1959	HIHITITIWA	ENTE
	hititi Series		(HAP			Sta	Tw-court USAS OF					NH JAC ONDANDATION FROM 286 111,6554				
SAPE OF R	67/20/24E	8 ***	,	97/70/	NAIS	Bes	CCO	MINNS ATO	•	Martha Sto	NOTE MAKE		Mag.	306 555-1111		
Exactly for Culture of Tiet rap Sensition Optic Out Move to a county that does not have been required for the county for				re Health Home services Clark discler			ne in chance									
Justica in 30 years old woman who has lived a very active life; hisyling, running, and exploring. She wants to everyone her archetic problems and become active again. DOSPOSITION					in right thoulder	_										
_				d Screenings			Four Month 1	Jediele Res	sized Serge	the same			h. Ubrdiefe	ffeg/t	nd Screenings	
SCREEK	GATE	900ME/		FNOTCOMPU	ETE, ENPLAIN	SCREEN				ENTAN	SOREEN	DATE	SCORE!		IF NOT COMPLETE, E	.PLA
PAM	07/20/2018	86.3	/4			· mar	11/30/2018	77.5 /	4		PAM	04/25/2019	82.8	/4		
CAM			1			(MM					CAM			1		
PENM			1			PPROM					PERM			1		
RIFERCE	07/20/2018	- 4				98.60	11/30/2018	5			Ket ADL	0425/2019				
PHQ-9	07/20/2018	- 3				1999	11/00/2018	3			PHOS	0425/2019	- :			
P90-17						P90-17					P50-17					
(M	07/20/2018	31					11/00/2018	30			844	0425/2019	21	,		_
	091	DWL 509	CENTRAL S	COPPES			0210	WL SOREDW	NG SCOPES			091	1014-107	CDYNE	000 963	
DOWN	DATE	10098				SCHOOL	DALE	900PB			SCHOOL	DATE	10048			
SAST						IAIT					BAST					
(40-7						(40-7					GAD-T					
NOT						NOT:					AUDIT					
	0T/20/2018					FALLS NO.	11/09/2018	4			PALLS.	0425/2019				
	07/20/2018	7	OKA	CC [] PROBE		PARK	11/09/2018	6	DIVAGE	DAMES III	PAN	0425/2019	6	OF	NE PAGE SIE	ARR
Met for first HAP and goal setting. Jordan reports a 3			Jeedan	controls, country refax worked hard in partnership with her personal rainer at the Y. She in beginning to ree some progress, specially with weight loss, standard, pain, and				Acceptant contents Jordan relates that her pain has decreased. She is able to more active for longer periods of time. She has establishe home exercise program and a program at the V designed.			deed					

The Patient Protection and Affordable Care Act

Health Homes are described in:

Section 2703 of the Patient Protection and Affordable Care Act. State option to provide health homes for clients with chronic conditions.


https://www.medic.aid.go.v/medic.aid/long-term-servicessupports/health-homes/index.html

14

Washington Opts In

The primary goals of the Health Home Program include:

- Improve the quality and coordination of care across systems of care
- Reduce expenditures
- Increase confidence and self management of health goals
- Provide a single point of contact to bridge systems of care



HEALTH HOME COVERAGE AREA MAD THE RECOVERAGE AREA MAD THE RECOVERAGE

Who May Become a Health Home Care Coordinator?

Care Coordinators may be employed by:

- · Lead Entity or
- ${\ensuremath{\,^{\circ}}}$ Care Coordination Organization that has contracted with a Lead

Required education or licensure:

- Current license as registered nurses, advanced registered nurse practitioners, practical nurses, psychiatric nurses, psychiatrists, physician assistants, clinical psychologists, mental health counselors, agency affiliated counselors, marriage and family therapists or certified chemical dependency professionals; or
- Master's or Bachelor's in social work, psychology, social services, human services and behavioral sciences; or
- Certified Medical Assistants with an Associate Degree or Indian Health Service (IHS) Certified Community Health Representatives (CHR)

Who May Be Covered By Health Homes?	
1. Dual Eligible	
Eligible for Medicare and Medicaid Uses Fee-For-Service (FFS) traditional Medicare/Medicaid provides	
2. Apple Health	
Managed Care Organizations (MCO) plans Fee-for-Service: traditional Medicaid coverage for those	
not dually eligible	
19	
Eligibility for Health Home Services	
• Must be on active Medicaid, includes dually eligible (Medicaid	
and Medicare) • Must have one chronic condition	
At risk for a second chronic condition	
PRISM score of 1.5 or higher (Indicates risk for a second chronic condition)	
Note: includes all ages	
20	
_	
The Health Home Services	
Health Home services are designed to:	
✓ See the client in their home or location of their choice	
✓ Conduct screenings to identify health risks and referral needs	
 ✓ Set person-centered goals that will improve client's health and service access 	

✓ Improve management of health conditions through health action planning, education, and coaching

21

- ✓ Support changes to improve client's ability to function in their home and community and increase self-management of their chronic disease/s
- √ Slow the progression of disease and disability
- \checkmark Access the right care, at the right time, the right place, and the right provider

The Health Home Services (cont.)

- √ Successfully transition from hospital to other care settings and get necessary follow-up care
- √ Reduce avoidable health care costs
- Make health care decisions during evenings or weekends when the Health Home Care Coordinator is not available

Note: Health Home services do not duplicate other services

23

Let's Pause to Check for Understanding



Do you have any experience with the program that you wish to share?

Do you have any questions?

The Six Health Home Services	
1 Comprehensive care management	
2 Care coordination	
3 Health promotion	
4 Comprehensive transitional care	
Individual and family support	
6 Referral to community and social support services	
25 TRAINING	
Comprehensive Care Management 1. Provides in-person periodic follow-up using face-to-face visits and telephone calls 2. Includes state approved required and optional screenings and assessments	
1 Comprehensive Care Management (cont.)	
Assesses the client's readiness for self-management and promotes self-management skills so the client is better able to engage with health and service providers	
4. Initiates discussion about advance care planning and assists the client and family (with the client's consent) to access assistance if they wish to pursue advance care planning or an advanced directive	
_	

Comprehensive Care Management (cont.)	
5. Monthly (or more often as needed) contacts:	
Provides continuity of care	
 Supports the achievement of self-directed health goals Improves functional or health status or prevent or slow declines 	
in functioning	
	
28	
2 Care Coordination	
1. Provides cross-system care coordination to assist the client	
to access and navigate needed services	<u> </u>
Uses the Health Action Plan (HAP) as the person-centered care management plan	
29	
2 Care Coordination (cont.)	
3. Fosters communication between the providers of care	
including: • Primary Care Physicians (PCPs)	
 Medical and behavioral health specialists 	
 Entities authorizing behavioral health and Long Term Services and Supports (LTSS) 	
30	

_	
Care Coordination (cont.)	
Bridges all of the client's systems of care, including non-	-
clinical support such as food, housing, legal services,	
transportation, etc.	
ISIFICI	
31	
_	_
2 Care Coordination (cont.)	
date doordination (cont.)	
Coordinates and may supervise the work of allied, lay, or administrative staff	
6. Provides informed interventions that recognize and are	
tailored to the medical, behavioral, social, economic, cultural, and environmental factors impacting a client's	
health and health care choices	
32	
Con Condition (cont)	
2 Care Coordination (cont.)	
Promotes: Optimal health outcomes through health action planning	
Outreach and engagement activities that support the client's	
participation in their care 8. Uses peer supports, support groups, and self-care	_
programs to increase the client's knowledge about their	
health care conditions and improve adherence to prescribed treatment	
33	

2 Care Coordination (cont.)	
9. Provides opportunities for mentoring and modeling communication with health care and other providers by: Modeling or monitoring phone conversations with health care	
staff and others Rehearsing a visit with a provider to prepare the client for their	
appointment Participating in joint office visits and appointments	
34	
	_
Health Promotion	
1. Uses self-management, recovery, and resiliency principles	
including supports identified by the client 2. Considers the client's activation level to determine the	
coaching, teaching, and support plan for the client	
35	
3 Health Promotion (cont.)	
3. Provides wellness and prevention education to include	
routine and preventative care (e.g. immunizations)	
 Links the client with resources to promote a healthier lifestyle 	
36	

1. Prevents avoidable readmission after discharge from an inpatient facility (hospital, rehabilitative, psychiatric, skilled nursing, substance use disorder treatment facility, or residential habilitation setting) 2. Ensures proper and timely follow-up care	
37	
 Individual and Family Support Recognizes the unique role the client may give family, identified decision makers and caregivers in assisting the client to access and navigate the health care and social service delivery system Supports health action planning 	
 Individual and Family Support (cont.) Identifies the role that families, informal supports, and paid caregivers provide to: Educate and support self-management, self-help, and recovery Achieve self-management and optimal levels of physical and cognitive function 	
39	

5 Individual and Family Support (cont.)	
4. Educates and supports family informal supports and caregivers • Increases their knowledge of chronic conditions • Promotes the client's engagement and self-management • Helps the client adhere to their prescribed medications and treatments	
40	
5 Individual and Family Support (cont.)	
individual and Faining Support (cont.)	
Includes: Discussions about advance care planning with clients and their families	
 Communication and information sharing with clients and their families and other caregivers Consideration of language, activation level, literacy, numeracy, and 	
cultural preferences	
41	
Referral to Community and Social Support Services	
Provides assistance to obtain and maintain eligibility for health care services, disability benefits, housing, LTSS, and	
legal services 2. Completes referrals to community and social support services to support the client in achieving health action goals including:	
goals including: • ITSS • Mental health and substance use disorder providers • Other community and social services support providers as needed	

G	Referral to Community and Social
U	Referral to Community and Social Support Services (cont.)

- 3. Provides support by:
 - · Identifying community based resources
 - · Actively managing referrals
 - Advocating and assisting on behalf of the client to access care and community and social supports

Multidisciplinary Care Teams and Allied

- As a Care Coordinator you may coordinate and facilitate multidisciplinary care teams:
 - Establishing a team to provide cross systems care coordination on behalf of the client
 - Establishing or working with an existing multidisciplinary care team to discuss discharge planning with hospitals, nursing facilities, and other institutions
- As a Care Coordinator you may work with allied staff:
 - Care Coordinators may enlist the help of allied staff including:
 - Community Health Workers, mental health peer support specialists, outreach specialists, Community Connectors, patient navigators, wellness coaches, and other lay staff

44

Health Home Tiers

Tier One	Tier Two	Tier Three
Initial engagement and action planning	Intensive level of care coordination	Low level of care coordination

Tier One Services	
Requires a face-to-face visit to:	
✓ Introduce Health Home services	
√ Assess the client's health and other needs	
✓ Confirm the client's agreement to participate	
✓ Obtain signatures for participation authorization and	
information sharing consent	
✓ Complete required and optional screenings	
46	
46	
Tier One Services (cont.)	
Tier One services (cont.)	
/ Davidon the first Health Action Blan (HAD)	
✓ Develop the first Health Action Plan (HAP) ✓ Document activities	
✓ Complete the HAP within 90 days that the client was assigned to your agency	
✓ Bill one time only	
bill one time only	
47	
Tier Two Services	
✓ Intensive level Health Home care coordination	
✓ Requires at least one face-to-face visit each month	
✓ Typically includes multiple calls to client, family, caregivers,	
legal representatives, and providers	
✓ Includes other activities as needed:	
 Health education and coaching Referrals to providers 	
Care transitions planning and follow up	
Consultation with care providers and medical and behavioral	
healthcare providers	

Tier Three Services	
✓ Low level Health Home care coordination • Care Coordinator supports maintenance of the client's	
self-management skills with periodic face-to-face visits and/or phone calls	
 Client may request fewer contacts Movement to this tier is not for the Care Coordinator's convenience 	
 The client's chronic condition stabilizes and demonstrates a high level of activation in self-management of health 	
49	
Tier Three Services (cont.)	
 ✓ The HAP must be reviewed with every contact: The HAP is the foundation of your relationship 	
 Review progress toward goals Identify new or unidentified care opportunities 	
At least one of the six Health Home services must be provided:	
 When a client requests fewer contacts they may not want to be contacted each month so do not bill for months when no contact or no services were provided 	
·	
50	
Billing for Services	
 Contact may not occur monthly depending on the client's needs and the Health Action Plan (HAP) Bill only for months when service was provided 	
The HAP must be reviewed at least once during each four month activity period or more often as needed to monitor	
and update the goals and action steps and administer the required screenings	
Document the core service/s provided to support billing	
51	

Let's Pause to Check for Understandi	Let's
--------------------------------------	-------



Do you have any questions about the six core services or the 3 payment tiers?

Outreach

Client outreach
Client enrollment materials
Consent and opting out
Client engagement

Client Outreach

Using "smart assignment" the Lead Organization will provide the CCO with a list of clients who meet the eligibility requirements for Health Home services

The Health Care Authority (HCA) will send Fee-for-Service clients the Health Home letter and "Your Washington State Health Home Booklet"

Lead Organizations that are Managed Care Organizations (MCO) will send their enrollment materials to their members


Care Coordinator, support staff, or Outreach Specialist may make first contact and schedule a face-to-face visit

Welcome Booklet for Fee-for-Service Clients

Flyers and brochures are available under the HCA's website:

http://www.hca.wa.gov/billersproviders/programs-andservices/resources-0#care-coordinatortraining

55



Sample Outreach Script

Tips for effective outreach calls:

- √Keep it brief
- √Don't rush
- \checkmark Ask questions and listen
- ✓Ask if someone else should be present at the first visit
- $\begin{tabular}{ll} \checkmark \textbf{Wrap up,} & confirming the visit date and time \end{tabular}$
- √Thank them for their time and interest

56

57

Participation Authorization and Information Sharing Consent Form

THE COLD AND COLD	40		
Erabb Some Participation Sufficients of	Television Co.		
Information Starting Consent Serticinal ion Authorisation			
	-		
Terretaine.	Facilities Bull Bull Sa		
Spring of Sandrian or Sandrian rings springering			
information Discine for mace			
the model of process comment of an one deposit control as distribution again or and because the deposit control to the control of an antique deposit of a program of the control of the control of the control of distribution and foliate control opens a second of the control	to the same of the		
agent in a my male i montant a la calle in y male i de male c'ha i montant a har oud an de san de la calle i m La calle agent a la male man a terra i man a terra i male ag a ny est i male ann a la calle i male i male a ma La calle a la calle ag a male ag a la calle i man ag a ny est i male a de la calle ann a la calle a de la calle a male a de la calle a la calle a la calle a de la calle a la ca	The state of the s		
Training Francis and training of the Body States, particles in page 1			
- many - management			
The second of the color of the			
Contract Of Distriction and Auto-Darkston, Nat.			
Proposition of the proposition of the last			
The state of the s			
M 1/4			
manada o sidde di mon partini siligle de silo silo silo septente tagge i di bassida agentico e decessi.			
T 1147 MARY 1	-		
grow Photos a business right speakings.			
	French Control		
in proposite decourage to.			
Political Political Processing	191111		

Part 1 of the form

Participation Authorization portion of the form must be signed



58

Part 2 of the form:

Information Sharing Consent portion of the form must be signed in order to release information to any party listed on the back of the form

TRACTIONS, and substance use disorder.	or on paper, in addition to less that apply to all types of health related to sexually transmitted diseases, mental health
ragree that my wealth vicine can obtain all of my health information care. I also agree that the wealth wome and the provident/partners in other, and other provident/partners in more differ provident/partners included in menspire my care. In Mantidpartners and individual for marker format from an included and included in the provident formation from a consent at any time by signing a market from a functionation. One disaster	and on this form may share my health information with each understand this form takes the place of any other health Home was have signed before. I can share my mind and take heat my
REAL NOTE: If your health records include any of the following informati	ier, yeu must also complete this section to include these records.
ighe my permission to disclose information about brisses put initials	ment to all that applic
Mercel health HV/AGS and	1570 test results, diagnosis, or treatment
Rease initial the appropriate choice below. This consent is valid: as long sony wealth wome needs my n until	
	Other annual Control
may revoke or withdraw this cancers at any time in writing, but th a capy of this form provides my permission to share recards.	tat will not affect any information already shared.
hint name of teneficiary	Beneficiary's state of birth
Special and Special Sp	in .
	_
Print name of legal representation (# applicable)	Relationship of legal representative to beneficiary
List your providers/partners on page two.	

59

Page 2 of the form:

List the name of participating providers/partners		ficiary Consent	With	ficiary draws sent
	Date	Initials	Date	Initials
Past Care Coordination Org. (CCO)/Lead				
Past CCO/Lead				
				_

Participation Authorization and
Information Sharing Consent Forn

- Best practice is to take it to face-to-face visits and appointments to amend as needed
 - If able, scan a copy (both pages) into the client electronic health record (EHR) for other staff and providers to access
- Use the back of the form to add and delete providers
 - · Enter the date and have the client initial

Outreach to Foster and Adoptive Children

- The DSHS Fostering Well Being Unit (FWB) must be contacted before contacting foster parents
 - Foster parent contact information is confidential and can only be released by the Department of Children, Youth, and Families Social Worker
 - The FWB unit can identify the social worker assigned to the child so care coordinators can reach out to them regarding the child
- · Adoptive Children
 - The Foster Care Medical Team at HCA can also assist with identifying the child's adoptive parents. Call the HCA's Customer Service line at: 1-800 562-3022 Ext. 15480 (you will need your agency's NPI number in order to speak to a representative)
- Most adoptive and foster care children receive managed care through Coordinated Care of Washington

62

Special Release of Information for Adolescents

Children ages 13 through 17 years must sign a consent form to release their information related to:

- · Mental health
- Reproductive health
- · Chemical dependency



For children 13—17 years of age The continue of the contin	Adolescent Consent Form	The hard beat among more and recipe to be head to each other whose on the administration and the control of the		
TOTAL PARTIES TOTAL PARTIES AND THE PARTIES AN		A thorn with a company of the c	and comment of the soft interest and the comment of	
			To the second	

Release of Information F Use Disorders	orm for Substance
	CONTROL OF THE STATE OF T
HCA form 13-335 (3/16)	The state of the s
	March Million March Confidence on Confidence of Confidence
65	TRAINING

Tribal Relations

- Each Tribe is a sovereign nation
- Work with your Lead to determine the protocol for contacting reservation residents
 - Each tribe will have a different protocol and contact people
 - Always respect tribal sovereignty when entering tribal lands/reservations even if your client is not a tribal member
 - At a minimum, on weekends and after hours, stop by law enforcement and let them know who you are and who you are needing to contact

Federally Recognized Tribal Reservations	
Commonwhite of the Commonwhite o	
Federally Recognized this Researchore within Washington Date Security Recognized this Researchore within Washington Date Security Recognized the Research Date Security Recognized the Research Date of Recognized the Recognized Re	
Due Diligence	
The second secon	
Section of the control of the contro	
These recovers de term de la contra del contra de la contra del contra de la contra del contra d	
68 TRANING	
Due Diligence (cont.)	
Three telephone calls must be attempted: note in narrative	
One introduction letter must be mailed	
Document your actions and discuss with your Lead if unable to contact	

_		_	
()	ntinc	g Out	H
U	บนมะ	z Oui	Ļ

Clients have the right to:

- ${\ensuremath{^{\circ}}}\xspace$ Opt out of the program before services begin
- Opt out at any time after services begin
- If your client requests to re-enroll in the program the Care Coordinator can contact the Lead to request re-enrollment

70

Opt Out Form

- The client may complete and sign the form or the Care Coordinator or allied staff may complete the form on the client's behalf
- Mail a copy to the client because it contains information on how to reenroll in the program if they change their minds



71

Client Vignettes

We will use these vignettes throughout our training activities:











Small Group Work			
Review the profile of your clie	ent		
Record the following on your Client profile: briefly describe	e your client		
What actions would you take engage them in the program?			
73			
Let's Pause to Check	for Understanding		
	What experiences have you had when you have initially contacted new clients in		
2.88	the past? What worked or didn't work?		
* 4.8	Do you have any questions?		
74			
DDICM			
PRISM A Care Coordination	n Tool		
Predictive Risk Intelligence SysteN	1		
75			

m 1	,	D	
Tod	av s	Pres	enter

Candace Goehring, MN, RN

- · Director of Residential Care Services
- · Dept. of Social and Health Services
- Aging and Long Term Support Administration



76

PRISM

A Decision Support tool designed to support care management interventions for high-risk clients


- ✓Identification of clients most in need of comprehensive care coordination based on risk scores developed through predictive modeling and other indicators
- ✓Integration of information from medical, social service, behavioral health, and long term care payments and assessment data systems
- ✓Intuitive and accessible display of client health and demographic from administrative data sources

77

Risk Tools

- Future Medical Cost Risk Score
 Calculates expected level of future costs relative to a comparison group
- 2. Inpatient Admission Probability
 Calculates the probability of an inpatient admission in the next 12 months
- 3. Mental Illness Flag
- 4. Substance Use Flag

Defining High Future Medical Cost Risk



/9

Prospective Inpatient Admission Probability



80

Prospective Inpatient Admission (cont.)

Hospital Admi	ssion Impa	act		
Additional impact per hospital admission in prior 30 days				9.8%
Additional impact per hospital admission in prior 3190 days			5.8%	
Additional impact per hospital admission in prior 91182 days		4	1.2%	
Additional impact per hospitaladmissionin prior 18-365days		2.1%		
Outpatient Emergency I	Room Utili	ization Imp	pact	
Additional impact per OP ERvisit inprior 30 days	1.7	7%		
Additional impact per OP IR visit inprior 31-90 days	0.9%			
Additional impact per OP IR visit inprior 91-182 days	0.3%			
Additional impact per OP IR visit inprior 183365 days	0.2%			
			PA	TENT EXAMPLE
Jane Dioe has been dagrosed with congestive heart failure (9 obstructive as thma (5.3%)	4%, poorlyæ	ntrolledtype:	1 diabetes (6.0%), an	d dironic
· She was hospitalized once in the prior 31-90 days (58%), an	d twiceinthe	prior 183-36	5days (2 x 2.1%= 42	96)
 She has been to the Energency Department twice in the pa (2 x 1.7% = 3.4%) 	st month with	out being adn	nittedto the has ptal	
. Her risk of an inpatient admissionin thenext12 months is 2	8.3%			

ъ.	1	ъ	C	
Ris	ĸ	Pr	ofi	le



Risk Factors



83

82

Risk Factor Methodology for Identifying Eligible Clients:

- Medical expenditure risk factors include the following:

 - AgeGender
 - Diagnoses • Prescriptions
- Note: the Health Home program was designed only to identify

the top 5-7% of the Medicaid population and cannot accommodate everyone who could benefit from care coordination

Why Do We Focus on Risk?





85

What We Have Learned About Dual-Eligible Clients

Chronic conditions are more prevalent for dual-eligible clients





86

Duals with High Risk Scores
Disproportionate share of Medicare Inpatient costs



Pharmacy P	rofiles: H	ligh-risk	Dual	Eligibles		
Persons with at l	east 1 mont	h of dual Me	dicaid/	Medicare e	nrollmentin	SFY 2010

		Elders	Disabled
THERAPY CLASS	SUMMARY DRUG DESCRIPTIONS	Percent	Percent
Cardiac	Ace inhibitors, beta blockers, nitrates	85.5%	69.5%
Pain	Narcotics	61.3%	72.29
Depression/Anxiety	Antidepressants, antianxiety	61.2%	73.29
Hyperlipidemia	Antihyperlipidemics	51.2%	43.29
Gastric Acid Disorder	Cimetidine	58.7%	60.29
Diabetes	Insulin, sulfonylureas	38.1%	34.89
Asthma/COPD	Inhaled glucocorticoids, bronchodilators	36.0%	41.19
Seizure disorders	Anticonvulsants	28.0%	48.09
Psychotic Illness/Bipolar	Antipsychotics, lithium	20.1%	31.89
Alzheimer's	Tacrine	13.9%	1.59
Anti-coagulants	Heparins	18.3%	11.59
Multiple Sclerosis/Paralysis	Baclofen	11.5%	33.89

Why Focus on Coordination Across Delivery Systems? High-risk clients are likely to have service needs in multiple delivery systems

Accessing PRISM

PRISM User Responsibilities	<u> </u>	
Your Lead Organization's PRISM coordinator will:		
 Instruct you on the registration process Determine the type of access you receive 		
Keep contents confidential and private		
• Don't share your password		
 Annually update your agency's IT security and HIPAA confidentiality training 		
Contact your Lead Organization if your profile information changes		
· ·		
91		
	_	
PRISM Use		
PRISM Use		
Only access, use, and disclose the minimum amount of		
 Only access, use, and disclose the minimum amount of data to perform your job and assist the client Report suspected or actual security breaches to your 		
 Only access, use, and disclose the minimum amount of data to perform your job and assist the client Report suspected or actual security breaches to your Lead Organization immediately 		
 Only access, use, and disclose the minimum amount of data to perform your job and assist the client Report suspected or actual security breaches to your 		
 Only access, use, and disclose the minimum amount of data to perform your job and assist the client Report suspected or actual security breaches to your Lead Organization immediately PRISM is monitored continuously and access may be suspended or terminated for unusual or potentially unauthorized activity Violations of RCW and HIPAA may result in severe 		
 Only access, use, and disclose the minimum amount of data to perform your job and assist the client Report suspected or actual security breaches to your Lead Organization immediately PRISM is monitored continuously and access may be suspended or terminated for unusual or potentially unauthorized activity Violations of RCW and HIPAA may result in severe criminal or civil penalties 		
 Only access, use, and disclose the minimum amount of data to perform your job and assist the client Report suspected or actual security breaches to your Lead Organization immediately PRISM is monitored continuously and access may be suspended or terminated for unusual or potentially unauthorized activity Violations of RCW and HIPAA may result in severe 		
 Only access, use, and disclose the minimum amount of data to perform your job and assist the client Report suspected or actual security breaches to your Lead Organization immediately PRISM is monitored continuously and access may be suspended or terminated for unusual or potentially unauthorized activity Violations of RCW and HIPAA may result in severe criminal or civil penalties 		
 Only access, use, and disclose the minimum amount of data to perform your job and assist the client Report suspected or actual security breaches to your Lead Organization immediately PRISM is monitored continuously and access may be suspended or terminated for unusual or potentially unauthorized activity Violations of RCW and HIPAA may result in severe criminal or civil penalties 		
 Only access, use, and disclose the minimum amount of data to perform your job and assist the client Report suspected or actual security breaches to your Lead Organization immediately PRISM is monitored continuously and access may be suspended or terminated for unusual or potentially unauthorized activity Violations of RCW and HIPAA may result in severe criminal or civil penalties 		
 Only access, use, and disclose the minimum amount of data to perform your job and assist the client Report suspected or actual security breaches to your Lead Organization immediately PRISM is monitored continuously and access may be suspended or terminated for unusual or potentially unauthorized activity Violations of RCW and HIPAA may result in severe criminal or civil penalties 		

How Do I Use PRISM in my Role as a Care Coordinator?

* *			
Uses	10	PK	ISM

- Triaging high-risk populations to efficiently allocate scarce care management resources
- · Identification of health risk indicators for high-risk patients
- · Identification of behavioral health needs
- Medication adherence monitoring
- · Identification of other potential barriers to care
 - Homelessness

 - Hearing impairment
 Limited English proficiency

Uses of PRISM (cont.)

- Access to treating and prescribing provider contact information for care coordination
- · Creation of health summary reports to share with providers
- · Identification of care opportunities



95

Keys for Effective PRISM Use

- · Be bold! You can't hurt anything
- · Check eligibility tab to determine completeness and coverage
- · Consider possibility of false positive diagnoses
 - · Can include "Rule Out" diagnoses
 - Diagnoses reflect standard uses of medications, not off-label uses

Keys for Effective PRISM Use (cont.)		
Consider lag times – PRISM updates weekly but providers may be slow to submit their claims		
Out of pocket payments or private insurance payments		
will not display in PRISM		
 Alcohol and drug treatment services are redacted and will not appear. If alcohol or substance use have been noted by a provider in other health services events then 		
a flag (yes) will display		
97		
Keys for Effective PRISM Use (cont.)		
• Mental Health: this is created as a flag that the client may		
need mental health services. It is based on either prescriptions or diagnoses from other health service events.	-	
• Tailor how you will use PRISM data with your client		
 How much information will you share? Will this information serve to activate your client and reinforce their changes? 		
their didinges.		
98	-	

PRISM Data

PI	RISM Screens			
	Event timelines for Inpatient, Outpatient, ED, Medicareand Medicaid Drug adherence timelines for all prescription drugs	d		
	Key Medical and Behavioral Health Risk Areas Detailed eligibility and demographic data All medical claims and encounters			
OP	Outpatient claims Prescriptions filled Inpatient admissions			
ER	Outpatient emergency roomvisits Long term care services			
Providers	Laboratory Provider list with links to contact information Mental health services			
CARE	Long-term care functional assessments Health risk indicators (for Children)			
100				
Lot'a Lo	ok at a De-identified Case			
Let 3 Lot	ok at a De-identified Case			
н	ome Search PRISM Health Report			
DEMI Name Gend				
	(ACES) 100234567WA (00223456) Phone: (855) 256-1654 PHOPILE FOR SIRVICE DATE RANGE PHOM 2013 04-83 TO 2014-09-12 IP Admit Risk 55.0%			
	ny Risk: Cardiovascular, Secondary Risk: Renal, very high medium			
101	TR	RAINING		

PRISM Screens PRISM can assist you in your care coordination duties

Use the Eligibility Screen to Verify Current Coverage and Gaps $_$



103

Identifying Long Term Care Services: the CARE Tab



104

Long Term Care Payments



 $$_{\scriptsize{105}}$$ Payments may also be located under Claims screens

Identifying the LTSS Case Manager



Another way to find the PCP



107

PRISM Health Report

- See your training manual for an example for John Doe
- · Value of these reports:
 - Helps promote self-management
 - Supports the client as their own historian
 - Provides a snapshot of the various look-back periods for the various screens
 - Promotes continuity of care between health care providers

Let's Pause th	e Video	to Check	for
Understandin	g		



- Have you used PRISM in the past and what was your experience? How did you use the information about your client?
- · Do you have any questions?

How to Make a Referral

- If a Care Coordinator identifies someone who may benefit from Health Home services the Care Coordinator may:
 - Contact your Lead Organization
 - The Lead Organization can email the Health Home program to see if the client is eligible and/or is already enrolled with a Health Home Lead
 - If the client does not have a PRISM score of 1.5 consider if there are recent major changes to health which may qualify them
 - Refer the case to their Lead Organization and include any additional information that may support the referral

110

How to Make a Referral (cont.)

The Lead will submit the referral to the Health Care Authority (HCA)

- The Lead may be aware that the client is already assigned to another CCO
- The Lead may refer the case to a different CCO if HCA approves services
- The HCA may not approve the services
- The HCA may choose to refer the case to another Lead

Reminder: Contact Requirements for Foster Children • To identify if a child is receiving foster care check the PRISM eligibility screen • Contact Department of Children, Youth and Families, not the foster parent for initial outreach

Final Thoughts on PRISM

- Use this tool to optimize Health Action Planning and client support
- Report all suspected or actual security breaches to your Lead Organization immediately
- PRISM is monitored continuously and access may be suspended or terminated for unusual or potentially unauthorized activity

113

112

Final Thoughts on PRISM (cont.)



- Review your clients only: violations of RCW and HIPAA may result in severe criminal or civil penalties
- Do not release the client's reports without the client's written consent to release PRISM information

TRAINING

Where to Turn for Assistance	
115	
	<u> </u>
Where to Turn for Assistance	
Contact your Lead Organization	
PRISM Support (DSHS Research and Data Analysis)	
prism.admin@dshs.wa.gov	
Health Care Authority Health Home Program <u>healthhomes@HCA.wa.gov</u>	
116	
Practice Using PRISM	
Let's return to our vignettes and begin our small group activity	
Sacha Carmella Luchita Tom Jacob	
117 TRANSMIG	

Small Group Wor	Small	Group	Wor	k
-----------------	-------	-------	-----	---



Navigate and review the Excel spreadsheet to analyze your client's use of services

- · What is PRISM Risk Score and IP Admit Risk Score?
- What did you note about your client in reviewing the screens in PRISM?
- What issues or gaps in care* did you identify that you would like to discuss with your client?

*Gaps in care means the identification, coordination, and processing of needed referrals to meet a client's medical, behavioral health, and social service needs.

118

Let's Pause to Check for Understanding



If you have used PRISM in the past which screens did you find most helpful?

Do you have any questions?

119

Motivational Interviewing and Coaching

The Spirit of Motivational Interviewing (MI) $$
• Empathic "way of being"
 Collaborative – Partnership of experiences

- Evocative Draws out, elicit ideas, identifies barriers, and explores solutions
- Encourages autonomy and provides support

Engagement - Setting the Agenda

Begin with an attitude of curiosity and a desire to understand more

Learn how the client's behaviors or concerns fit into the person's situation or world view

Be transparent and communicate your intentions and purpose

122

Join the Client on their Health Path



Join the Client on their Health Path (cont.) ENGAGE FOCUS **Five Steps for EVOKE Success:** PLAN REVIEW 124 Keys to Successful Care Coordination · Meeting the client where they are Engagement Collaboration Consistent and regular contacts • Transitional care supports • Confidence and skill building for self-management of chronic disease/s The Patient Activation Measure® Coaching and Action Plan Development

Review of the Patient Activation Measure®

The PAM1 is a behavior measurement tool that

- Reliably measures activation and the behaviors that underlie activation
- Provides insight into how to improve unhealthy behaviors and grow/sustain healthy behaviors
- Allows us to improve activation levels /behaviors, lower medical spending and improve health

¹ All references to the Patient Activation Measure in this presentation are the property of Insignia Health (copy and trademark). Parts of this presentation were adopted from Insignia Health training materials.

127

Types of PAMs

- Patient Activation Measure PAM®
 - assesses the client's activation level
- Caregiver Activation Measure CAM®
- assesses the caregiver's activation level in caring for their client
- Parent Patient Activation Measure PPAM®
 - assesses the parent's activation level in caring for their child



128

TRAINING

What is Client Activation?

Having the knowledge, skills, emotional support, and belief to:

- Self manage health
- Collaborate with providers
- · Maintain function and prevent declines
- · Access appropriate high quality care

Administering the PAM	
Emphasize that the tool is a health survey	
It is all about helping the client	
It is neither used to judge nor reduce or deny any benefits	
130	
PAM 13 Question Survey	<u> </u>
Let's review the 13 Patient Activation	
Measure Statements now	
131 TRAINING	<u> </u>
Tips for Administering the Assessment Tool	
• It does not require a face-to-face contact to complete	
• This survey can be administered over the telephone	
 It could be mailed and completed in advance of the first face-to-face visit 	
 Check with your Lead regarding their policies related to administering this and other assessments 	
132	

Tips for Administering the Assessment Tool	
(cont.)	
Some people do a better job completing it themselves	
 Consider asking the caregiver to complete a CAM if the client is unable to respond 	
• If a client refuses offer again at a later date	
You could provide a copy of the tool and ask the questions and record the answers This is helpful for clients with limited reading ability	
• Inis is neighbor chemis with limited reading ability	
133	
Tips for Administering the Assessment Tool	
(cont.)	
Ask the client how much they agree or disagree with the	
13 statements	
Always start with strongly disagree to strongly agree	
Always ask the questions in order	
 Do not change the questions Statements become increasingly more difficult to agree with 	
Statements become increasingly more armedic to agree with	
134	
•	
Tips for Administering the Assessment Tool	
(cont.)	

 Do not discuss responses to the statements while administering the PAM – this may improve scores
 Allow the client to consider the statements, silence may indicate that they are thinking about their response

135

Tips	for A	dminist	ering th	ie Ass	essmer	it Too
(con	t.)					

- If a client is unable to complete the survey or refuses document in the HAP
 - The date the assessment was offered and declined
 - If known, the reason the assessment was not administered
- When a client, caregiver, or parent do not complete the tool offer it at a subsequent visit

Tips for Administering the Assessment Tool (cont.)

- Use the client's responses as a springboard for further discussion (only after they have completed the survey)
 - Consider using the responses to individual statements as a starting place for discussing health concems which the client may wish to address in their HAP

137

Interpret PAM Responses

Client Response	Interpretation
Agree Strongly	Yes – the question is true about me. This is a definite "yes".
Agree	Sometimes this is true about me or is potentially true about me.
Disagree/Strongly Disagree	This is not true for me.
NA	This does not apply to me. I do not know how to answer. I refuse to answer.

Scoring	
Scoring is the same for the PAM, CAM, and PPAM	
Ask your Lead Organization for the scoring guide Most Leads have software that will score the tool	
• The activation score is converted to an activation level	
120	
139	
PAM Segmentation Characteristics	
Level 1: Disengaged and overwhelmed	
Starting to take a role. Clients do not yet grasp that they must plan to take an active role in their own health. They are disposed to being	
passive recipients of care.	
Level 2: Becoming aware, but still struggling	
Building knowledge and confidence. Clients lack the basic health related facts or have not connected these facts into larger understanding of their health or recommended health regimen.	
140	
140	
PAM Segmentation (cont.)	
Level 3: Taking action	
Clients have the key facts and are beginning to take action but may lack confidence and the skill to support their behaviors.	
Level 4: Maintaining behaviors and pushing further Clients have adopted new behaviors but may not be able	
to maintain them in the face of stress or health changes.	

PAM Segmentation Characteristics Roughly 45 to 50% of all Medicaid clients who have completed the measure score at a Level 1 or Level 2 Level 1: Disengaged and overwhelmed Level 2: Becoming aware, but still struggling Review the client's activation score and level to tailor coaching that is appropriate to the client	
	_
Elicit the Client's Story Using Responses to PAM Questions	
Select an item where their answers begin to move away	
from strongly agree. Help the client discover: • What led them to select the response?	
 Why this level and not a lower level? What would it take to reach the next level?	
• Is this something we could work on together?	
143	
Elicit the Client's Story Using Responses to PAM Questions (cont.)	
With self-reflection the client makes an assessment of:	
What the problem isWhat will have to happen to alter this assessment	
 How the Care Coordinator can coach the client to pursue behavioral changes 	

Tailor Your Coaching	
Use responses to individual PAM items to get them to explain what is going on.	
The client will make statements indicating what they think are the barriers or challenges.	
Use perceived barriers to jointly problem solve throughout the coaching process.	
145	
Analyze the Results Incorporating Motivational Interviewing Techniques	
Notice when your client begins to disagree or strongly disagree with the statements	
This can be a good place to begin discussion about identifying areas where the client or representative may want to consider the type of goal they may be interested in pursuing	
Consider using motivational interviewing techniques to draw the client or representative out	
146	
Motivational Interviewing Strategies	
Start with where the person is and try to understand how the client understands their own situation	
Be empathetic and ask open ended questions	
Listen and do reflective listening	
 "It sounds like you are feeling" "So, you are saying that you believe"	
147	

Motivational Interviewing Strategies (cont.)	
Express acceptance and affirmation of the client's freedom of	
choice and self-direction	
Elicit and selectively reinforce the client's own self motivational statements, expressions of problem recognition, concerns, desire, intention to change, and ability to change	
acone, intention to change, and ability to change	
148	<u> </u>
'	_
PAM Activation Level 1	
ram activation Level 1	
GOAL Build self-awareness and confidence	
bullu sell-awai elless allu colliluelice	
Examples	
Examples • Self-monitoring and awareness (e.g. how much they walk or how they cope with stress)	
Self-monitoring and awareness (e.g. how much they walk or how they	
Self-monitoring and awareness (e.g. how much they walk or how they cope with stress) Start pre-behaviors (e.g. reading labels on food)	
Self-monitoring and awareness (e.g. how much they walk or how they cope with stress) Start pre-behaviors (e.g. reading labels on food) Cope with stress	
Self-monitoring and awareness (e.g. how much they walk or how they cope with stress) Start pre-behaviors (e.g. reading labels on food) Cope with stress Understand their role in the care process	
Self-monitoring and awareness (e.g. how much they walk or how they cope with stress) Start pre-behaviors (e.g. reading labels on food) Cope with stress Understand their role in the care process	
Self-monitoring and awareness (e.g. how much they walk or how they cope with stress) Start pre-behaviors (e.g. reading labels on food) Cope with stress Understand their role in the care process	
Self-monitoring and awareness (e.g. how much they walk or how they cope with stress) Start pre-behaviors (e.g. reading labels on food) Cope with stress Understand their role in the care process	
Self-monitoring and awareness (e.g. how much they walk or how they cope with stress) Start pre-behaviors (e.g. reading labels on food) Cope with stress Understand their role in the care process	
Self-monitoring and awareness (e.g. how much they walk or how they cope with stress) Start pre-behaviors (e.g. reading labels on food) Cope with stress Understand their role in the care process	
Self-monitoring and awareness (e.g. how much they walk or how they cope with stress) Start pre-behaviors (e.g. reading labels on food) Cope with stress Understand their role in the care process	
Self-monitoring and awareness (e.g. how much they walk or how they cope with stress) Start pre-behaviors (e.g. reading labels on food) Cope with stress Understand their role in the care process	
Self-monitoring and awareness (e.g. how much they walk or how they cope with stress) Start pre-behaviors (e.g. reading labels on food) Cope with stress Understand their role in the care process PAM Activation Level 2 GOAL Increase knowledge, confidence, and initial skill development Examples	
Self-monitoring and awareness (e.g. how much they walk or how they cope with stress) Start pre-behaviors (e.g. reading labels on food) Cope with stress Understand their role in the care process PAM Activation Level 2 GOAL Increase knowledge, confidence, and initial skill development Examples Make sure the knowledge dots are connected Start with small behavioral steps (one step at a time)	
Self-monitoring and awareness (e.g. how much they walk or how they cope with stress) Start pre-behaviors (e.g. reading labels on food) Cope with stress Understand their role in the care process PAM Activation Level 2 GOAL Increase knowledge, confidence, and initial skill development Examples Make sure the knowledge dots are connected	

PAM Activation Level 3	
GOAL Initiation of new behaviors and develop problem solving skills	
Examples Initiation of specific realistic behaviors (e.g. walking 10 minutes 3 times a week) Problem solving as it relates to the issues that emerge with the new behavior goals	
151	
PAM Activation Level 4	
GOAL Maintain behaviors and techniques to prevent relapse	
Examples - Build confidence for coping and problem solving when situations throw them off track; self-monitor for those situations (e.g. new staff at the doctor's office) - Plan for handling a specific type of situation (e.g. using medications while traveling) - Problem solve together	
Perspectives on the PAM	
The initial PAM score can be higher than subsequent PAM scores The client does not know what they do not know	
It is important to place the surveys side by side over time and work with the client on changed responses Look and listen for change talk and change opportunities	
Anticipate if the client may experience a decline or improvement in score to coach and support them Be aware of individual successes and failures and how they impact confidence with developing new or different skills	
153	

Where Do I Get Copies of the Tools?

Lead Organizations are required to purchase a license for these products through Insignia

For copies of the PAM, PPAM and CAM, the translated tools and scoring guide contact your Lead to get Insignia's:

- Website address
- User name
- Password





Website Hosting PAM Versions



Ask your Lead Organization for the following to access this site:

URL: https://healthhomes.insigniahealth.com
User Name: -----

Password: - - - -

155

PAM® Small Group Work



- · What is the PAM score for your client?
- What is the client's or parent's Level of Activation?
- What did you note about his/her responses to the PAM/PPAM*?
- If available should the caregiver complete the CAM*?
- How would you begin to work with your client in relation to their responses and Level of Activation?

Let's Pause to Check	for Understanding			
	How will awareness of a			
	client's PAM level help you work with your client?			
	Do you have any questions?			
157				
Goal Setting				
Moving Toward Health Action Plan	ning			
158				
Moving Toward Heal	th Action Planning			
Consider the client's response activation measure results	s by reviewing and discussing the			
Responses may provide a clue like to make	as to changes the client would			
Canaidan waina tha Caal Cattia	a and Astina Dlausina Madulahast		·	

A Tool for Starting the Conversation		
The Goal Setting and Action Planning Worksheet		
Goal Setting and Action Planning Worksheet	_	
Long Tom Gold	_	
Creacine source/reg raw and distinct in impacts appeal and impacts and impact	_	
1. What you'ld de 2. When you'ld de t 3. The number of mose such day / week	_	
4. How least and you convert to driven the	TRAINING	
Coaching and Action Planning	_	
Goal Setting and Action Planning Worksheet		
• Start where the client is		
 Determine what the client wants to change The action plan is negotiated and tied to the discussion 		
about the level of activation		
	_	
	_	
161		
Coaching and Action Planning (cont.)		
Coaching and Action Planning (cont.)	_	
Goal Setting and Action Planning Worksheet	_	
 The action plan is something achievable given the client's level of activation 		
 At Levels 1 and 2 action plans focus on knowledge, belief, awareness and pre-behaviors 		
At Levels 3 and 4 action plans focus on the initiation of new behaviors and maintaining behaviors	_	

_	
Davidoning an Action Plan	
Developing an Action Plan	
Coach the client to coloct the Action Stone with the least	
Coach the client to select the Action Steps with the least number of barriers and prioritize them	
Save the list of Action Steps so alternatives can be tried if the first ones are not successful; reassure client that many	
problems are not easily solved and may take time and	
multiple approaches	
163	
_	_
_	
Develop Action Steps	
Беустор пенопосерз	-
Describe	
What the client has agreed to do	
What the Care Coordinator has agreed to do	
Where they will do it	
• How often(each day/week)?	
• For how long?	
164	
_	
Questions to Consider	
2.000.000.00000000000000000000000000000	-
How important is it for you right now to? On a scale from 0 - 10 what number would you	
give yourself?	
CONVICTION SCALE	
If you did decide to change, how confident are you that you would succeed? On a scale from 0 - 10	
what number would you give yourself?	
CONFIDENCE SCALE	
If you did decide to change, how ready are you to make this change? On a scale from 0 - 10	
what number would you give yourself?	
010	

Coaching and the Health Action Plan	
Use a coaching for activation approach to guide the client to: • Appropriate choices • Attainable goals • Action steps • Improved health	
	_
The Health Action Plan (HAP)	
Establishes: • Client and Care Coordinator identified: • Long term goal • Short term goal/s • Action steps	
	_
Key Skills for Health Action Planning	
Demonstrate positive belief in the client's ability to take an active role to accomplish appropriate goals and action steps	
Emphasize stress management and coping and resiliency skills	
Ask the client to recall a former success: how did it feel?	
168	

Key Skills for Health Action Planning (cont.)	
, and a second s	
Elicit the client's story	
Build rapport	
 Obtain a behavioral history, including past attempts to change behavior 	
• Identify barriers	
Use open-ended questions	
Focus on feelings Use reflections	
· Ose reflections	
169	
	_
Analyze!	
Allaly Ze:	
What do you think drives poor health and high costs	
for your client?	
85% of avoidable costs are due to behavioral, not	
medical factors	
Consider:	
Client's perspective	
Results from assessment and screening tools	
• PRISM Risk Factors	
Client's Level of Activation 170	
Hea Active and Deflective Lictoring	
Use Active and Reflective Listening	
Assure them that you can see their point of view	
Acknowledge the struggles or difficulty involved	
Acknowledge their success and their skills, abilities, and	
strengths • Thoughts	
Beliefs and values	
Behaviors	
Use you statements – strength based approach	
"You sound determined."	

Consider What Values	Lie Behind
These Statements	

- I want to feel better
- I want to be more independent
- · I want to be able to attend church with my family
- I want to see my grandchildren grow up

Keep these in mind so you can later link these values to their long term goals, short term goals, and action steps

172

Emphasize Problem Solving

A Health Action Plan requires addressing problems through "action steps"

Adults learn best by "doing" rather than through reading materials or hearing information

Working through a problem using health $\,$ coaching increases and enhances $\,$ retention

Identify their capacity for change and self-efficacy

173

Identify Barriers to Change

- Ambivalence?
- Understanding?
- Support system?
- Energy levels/sleep quality/pain?
- Depression?
- Health literacy?
- Financial?
- Confidence?
- Social isolation?



•		
•		
•		
•		
•		

Explore Possible Solutions	
ASK the client to review possible solutions, but not make a decision	
just yet	
ASK the dient to identify possible solutions, "do you have any ideas on how you could solve this problem?"	
ASK the client if they would like you to share your thoughts and/or provide ideas using Health Home resources.	
ASK the client if they would like you to provide additional health education information; if so, review and discuss the information with them at the next visit.	
175	
Resistance	
It's human nature! Taking one side of a conflict can cause	
a person to take the opposite stance. It's normal	
1 1 1	
176	
Behavioral Change	
Trying to convince another person to make a behavior change can actually cause the person to be less likely to make a change.	
Even if you are successful in convincing someone to make a behavioral change, the change is not likely to last.	
a sensoral change, the change is not likely to last.	

Resistthe	Righting	Reflex	Exercise
-----------	----------	--------	----------



Pair up and take turns as the speaker and the listener

Speaker

Share your thoughts and feelings about a behavioral change you have thought about making or a change you previously made but are having trouble maintaining

Listener

- Ask open-ended questions
- No closed-end questions
- Neither agree nor disagree
- Avoid sharing your opinions or experiences

178

How Did It Go?

- What was it like to be the listener... did you want to interject your experiences or thoughts?
- \bullet Were there times when you wanted to jump in and offer advice or "fix it"?
- What was that like for you as the speaker... did you feel understood?
- How did it feel to have someone place all of their focus on you and your concerns for even 5 minutes?
- $\boldsymbol{\cdot}$ What did you learn from this interaction about your own style?

179

Cultivate a Sense of Hope

Demonstrating a positive belief in your client has a positive impact on the client's ability to accomplish their goals and action steps and sustain behavioral change.

Hope is one of the greatest contributions you make to your client as their Care Coordinator.



The Day in Review			
Health Home fundamentals			
Client outreach and engagem	nent		
PRISM			
The Patient Activation Measu	ure	-	
Goal setting and action plans Health Action Plan	ning: moving toward the	-	
181			
Let's Pause to Check	s for Understanding		
182	How is the role of a Care Coordinator different than those you have had in the past? What benefits do you see for your clients who engage in the program? Do you have any questions about what we covered today?		
Planning for Day Tv Start time for training Location	vo		
Topics to cover The Health Action Plan Comprehensive Care Trans Documentation Quality Assurance First Meeting	itions		
Safety Resources and websites Ongoing training requirem	ents		

	We	lcomet	to D	av	Two
--	----	--------	------	----	-----

Do you have any questions about what we covered n Day One?



- HH Fundamentals
 - Outreach and engagement
 - PRISM
 - DANA
 - Moving toward health action planning

184



Most People Desire Better Health and Quality of Life

Each client is in charge of their own health

Their own Health Action Plan, and

Whether or not they make lifestyle changes



Help	Identify	a Long	Term	Goal
TICIP	I d C I I d I y	a Dong	ICIIII	uoui

Use a person-centered approach to help the client identify:

- What would they like to happen as a result of their health changes?
- What would they like be able to do that they can't currently do?
- What their level of activation is and how it will help or hinder their ability to achieve their goal/s?

187

Help Identify a Long Term Goal (cont.)

Long term goals may relate more to social goals but by achieving them the client may:

- · Reduce medical costs
- Slow the progression of chronic disease
- Delay the onset of another chronic disease
- Reduce avoidable ED visits and hospital admissions and readmissions

188

Health Action Plan: Page 1

Note: most Lead Organizations have a data platform that is used to capture the HAP. These platforms can print the HAP but it may not look like the paper form.

anı, ı	fact brise		upy		Print Jahr	The second second						AND THE PERSON
ALC: N	O' NUK	84	SAS SPEED	500	CONTRACTOR	SERVICE	546	100000	MI MPE		DATE COOK	SMITH THOSE
	N DELW D			_				CA FOR TW			_	
() Bernet	halany Opted C	м Д:	Now to a sourly that does not to become whater	lave Health	eath rone services			Client shake to drange CCO or Lead Organization Eliabelity sharped inhance turbon FF3 or MCD				
CANT AT	A00-2750A		er rache school				10.	-	eder ion	and the same of the same of	o bus	
								COLUMN TOWN				
	DEC THE SE								Mark Street	9		
			gained homology		Plear Month!	Sprinte Finguiss	Dermings					and homeonings
NAME OF TAXABLE PARTY.	PAR	900ME/LEV	E. PROFESSMENT SHOWS	DOMESM	ONTE	DOME/LEVEL	PHOTOS	MALE NO.	207004	945	SCORE LIDES.	FRETCOMPLETE, EMPLOY
Delge				FAR					Peter			
CAMP .				CAR					time			
mey				PERMI					mer			
See				Kentill.					1010			
P93				0100					PROD			
F90 (7				P90-IT					150·F			
Page 1				(Part					in.			
		ONS. 10910	WYO SCOPES			NAL DOMESTIC D	COMES				PALIDEDHO	3 100MII
SCHOOL	5479	DOOM!		BORREN	SAPE	00086			104004	0470	500M	
SMET		_		CANE	_	_			(mpl)	$\overline{}$	_	
104		_		940-7	_	_			907	$\overline{}$	_	
103				AUDIT					NOT			
		-			_	_	DAME TO				_	
Maga:			STATE DIMENS DIMMENS	PAR	TOWNS TO	ш,	DOOL DW	can D	PUR	TOWNS TO	G+	WIL DAME DAMES
HOTOM.	Comens			ASSISTA	K ((MARKET)				MONOW	((IMEN)		
				1								
	2000-00-04											Page 1

HAP Instru	ctions	
	unit hands described in mile hand hand hand hand hand hand hand hand	
	The Contract of the Contract o	
	This come? a qualitative (for Eq. incommand in a soletion.) 5. Outgot in the residence of confidence of confidenc	
190	scatters allows, consistent, extents, revention, and a private, as and CHAPTER (CHAPTER) (CHAPTER) (CHAPTER) (CHAPTER) (CHAPTER) (CHAPTER) CHAPTER IN THE CHAPTER IN THE STATE AND AND AND CHAPTER IN THE CHAPTER IN THE STATE AND	


Additional Training on the HAP


- $\mbox{\ ^{\circ}}\ \mbox{\ Your Lead/s}$ will provide operational training on how to use their software programs
- Don't hesitate to ask for technical assistance
- Meetings are sponsored by the Leads to supplement this training
- DSHS sponsors monthly webinars and a quarterly newsletter with information related to the program and your work

191

HAP Form and Instructions The revised HAP and Instructions are located at the HCA Website: https://www.hca.wa.gov/billers-providers/programs-andservices/resources-0 Bliefs and providers Resources On the page Resources

HAP Form Instructions	
Each HAP spans a 12 month enrollment period consisting of three separate four month updates or activity periods	
All other documentation goes in the client record or file	
193 TRAININ	
	_
HAP Form Instructions (cont.)	
The Health Action Plan is updated and modified at each monthly contact by the Care Coordinator and when necessary to support a care transition or when the client opts-out of the Health Home program.	
The Health Action Plan is updated and modified as needed according to: • A change in the client's condition • New immediate goals to be addressed	
Completion of a short term goal and action steps	
	_
What is an Activity Period?	







Worksheet 3: Activity Periods Option 9,0,082 | Decided only period | Decided only perio

Worksheet 3: Activity Periods	
,	
Cysics PAND and addity-period for tip 4 or broad addity-period for tip 4 or writings.	
July 13 thru November 12	
November 13 thru March 12, 2021	
March 13 thru July 12	
July 13, 2021	
January February March April May June July August September October November December 202	
	_
IAI- I alase 2 Ast 14 Decis Is	
Worksheet 3: Activity Periods	
 What is the end date of the HAP if the client notifies the Care Coordinator that he no longer wants to participate in the program during a phone call on May 10, 	
2020? May 10, 2020	
2. The Care Coordinator made several calls to the client and sent a letter with no	
response from the client and the Lead approves closure of the HAP. The letter was mailed to the client on August 13, 2020 and the final call was made on	<u> </u>
August 17, 2020. What is the end date for the HAP?	
August 17, 2020	
203	

HAP Form Instructions (cont.) Demographic data fields for name, gender, date of birth and Provider One $\,\mbox{ID}$ Date the HAP begins Date the client Opts-in

This is the date the client agrees to participate in the program and begins development of the HAP. This date becomes the client's anniversary date. It triggers the start of a new HAP for the next HAP reporting year.

The September He	(HAP)	MULTI KOM LINE DISANDATOR	000	A LIN DEMONSTRA NAME
DOT OF MEAN	No. BOTOPHEN	LAW CONTINUENCE ORGANIZATION	CAME ECONOMISSION NAME	CASE COCKSHAPORY PHONE
Beneficiary Option Out	Move to a sound) that does not have to No longer eligible.	Hoelth Home services	Eligibility changed (change to from	and Organization RPS or MOO)

HAP Form Instructions (cont.)

Date the HAP ends:

- At the end of a one year cycle (do not prepopulate this field)
- The day the client opts out of the program
- The date the HAP ends for other reasons as listed in the Reason for Closure of the HAP data field (check the appropriate box if one of the reasons apply)



HAP Form Instructions (cont.)

If a client is transferring for one of the reasons listed, then do not enter a HAP end date as the HAP is still active until the end of the one year cycle even though it may be transferred.


Reasons for transfer of the HAP include:



206

HAP Form Instructions (cont.)

Options for gender include:



Because clients have a right to change Lead Organizations or Care Coordination Organizations the names and phone numbers are provided

HAP Instructions (cont.)	
CLEAT STREEGGESTON	
Write a brief statement about the client	
Develop a long term goal that is person-centered, based on	
what the client wants to achieve	
Enter the diagnosis or diagnoses that are pertinent to the long term goal	
208	
Halo the Client Identify Long Tome and	
Help the Client Identify Long Term and Short Term Goals	
"Physically, what can you do best?"	
"When are you strongest?"	
"Who do you contact when you aren't feeling well?"	
"Which health concerns have the biggest impact on your life?"	
"What are some ways you may increase your wellness?"	
209	
209	
HAP Form Instructions (cont.)	
Required screenings: enter the dates and scores of the screening on	
the HAP • PHQ-9 – Patient Health Questionnaire (Depression Screening) or	
Pediatric Symptom Checklist – 17 (PSC-17) ages 4-17 BMI – Body Mass Index	
Katz Activities of Daily Living Patient Activation Measure	
Patient Activation Measure Patient Activation Measure (PAM) or Caregiver Activation Measure (CAM) or	
Parent Patient Activation Measure (PPAM)	
210	

HAP	Form	Instructions	(cont.)

Enter the date the screening was completed or offered but declined

Enter the activation score and level of activation for each type of activation measure completed $% \left(1\right) =\left(1\right) \left(1\right$

If the client, caregiver or family decline or are unable to complete the screening enter the date and the reason the screening was not completed

Screening must be completed at least once during each four month activity period or more often as clinically indicated



Required Screenings

Patient, Parent or Caregiver Activation Measure – PAM® from Insignia PHQ-9: Patient Health Questionnaire with nine questions to screen for depression and suicide (age 18 & older)

PSC-17: Pediatric Symptoms Checklist for children (age 4 – 17)

Katz ADL: activities of daily living to take care of themselves BMI: Body Mass Index to determine if they are a healthy weight

Note: the client, parent and caregiver reserve the right to decline to complete any of these assessments are complete as a support of the seases of the seases. \\

212

Patient Activation Measures

The PAM is required for clients

- Note the date, the activation score and activation level on the HAP
- If the client cannot complete the PAM
 - Note the date the screening was offered and note the reason the PAM was not completed on the HAP OR
 - Complete the CAM or PPAM (see next slides)
 - The PAM dates may not be the same as the start date of the HAP or updates for each four month activity period

Caregiver Activation Measure

The CAM may be administered when the client is unable or unwilling to complete the PAM

- Caregivers may be informal or formal caregivers, or paid or unpaid caregivers
- Document in the case record the name and relationship of the person who completed the CAM
- Note the date the CAM was completed, the activation score, and activation level on the HAP

214

Parent Patient Activation Measure

The PPAM must be administered to the parent or guardian of children under the age of 18 years

- · Parents include: biological, adoptive, or foster
- Note the date the PPAM was completed, the activation score and activation level on the HAP
- Document in the case record the name and relationship of the person who completed the PPAM
- If the parent or guardian declines to complete the PPAM note the date the assessment was offered and the reason the parent/guardian did not complete the screening

215

The Katz ADL: Ages 18+

Score one point for each of the six ADLs that client reports that they can perform independently without assistance

If a client indicates that they are dependent and could use assistance with two or more ADLs consider a discussion about applying for LTSS (or follow-up with case manager on any changes if client already has LTSS)

Referring the client to the DSHS Developmental Disabilities Administration or Home and Community Services Office in your area is an appropriate service for you to offer

		_		
Katz Activities of Daily		_		
Living (ADLs)	Katz Index of Independence in Activities of Daily Living Activities described definition of DePendence described on the property of the prope	_		
	FORCE (D. NO.) So person de visite en presente alla discourse de la Company de la Com	_		
	INTEREST OPERATION OF THE PROPERTY OF THE PROP			
Link to 29 minute training video:	TORLITING 11 PRINC Come to Nat, pain or and (8) PRINC Notes to the transforming of the company and offere, recompany and the company and th			
https://consultgeri.org/try- this/general-assessment/issue-2	OWNESSES 11 PORTS General complete cell SOUTH SERVICE CONTROL OF A SERVI	_		
	mad without loop, Proposition of which leaves a requires powerful of the STATE. STATES. STA	_		
217	TOTAL POSTS (
PHQ-9 and PSC-17 Scree	ens	_		
Patient Health Questionnaire: nine	item screening tool	_		
for depression 18 years and older	C			
Pediatric Symptom Checklist: 17 ite and behaviors	m screening tool for moods	_		
Ages 4 through 17 years		_		
		_		
218		_		
		_		
PHQ-9 and PSC-17 (cont	-)			
1114 / 4114 100 17 (0011	-)	_		
The Care Coordinator's role is to so health issues	reen for possible behavioral	_		
		_		
Care Coordinator's do not diagnose refer to qualified professionals and		_		
for further assessment and treatme		_	 	

The PHQ-9 is a Required Screening

Your manual also contains a copy of the GAD-7

| The Control of Contr

220

Guide Sheet on Depression Screening and Suicide

- Guide Sheet offers general guidelines
 - Your agency may also have their own policies, procedures, and reporting requirements
- Interpretation of results of PHQ-9: a score of 10 or higher indicates moderate depression
 - Offer a referral to PCP or a behavioral health provider
 - If a client expresses that they have thought about suicide have a plan, and have the means seek help immediately

221



Pediatric Symptom Checklist - 17

- $^{\circ}$ The PSC-17 must be completed for children ages 4 to 17 years of age
- The screening is completed by the parent or guardian
 Scoring is based on the parent's report of current behaviors
- A child age 13 and over may self-administer the screening
- Note in the comment section the name of the person who completed the screening and their relationship to the child.
 Enter the parent's score in the HAP and note the child's score in the case narrative

DSHS Form 10-509 PSC-17 & Instructions	
Patient September Cardinal (1994) 1994 1	
1	
To be extracted 1	
The contraction of the Contracti	
The state of the control of the cont	
Name of Engine annotation and American Conference on the Conferenc	
Miles area	
223 TRAINING	
PSC-17 Considerations	
The screening tool should not be used for diagnosing	
A score of 15 or higher may indicate the need for further evaluation by a qualified professional	
The screening tool offers three subscales for:	
• Internalizing behavior	
Externalizing behavior	
Attention	
224	
	_
	_
PSC-17 Website	
PSC-17 Website	
For translations of the tool visit the Massachusetts General	
For translations of the tool visit the Massachusetts General Hospital website located at: https://www.massgeneral.org/psychiatry/treatments-and-	
For translations of the tool visit the Massachusetts General Hospital website located at:	

PSYCHIATRY

Body Mass Index (BMI) This is required on the HAP • BMI chart is located in the Classroom Training Manual • BMI is not required for children under 2 years of age • If you are unable to get a recent or accurate weight record the BMI and make a comment in the comment box • BMI can be used as a benchmark in helping clients create wellness goals 226 BMI Online Charts BMI Calculator for Children and Teens (2-19) https://www.cdc.gov/healthyweight/bmi/calculator.html **BMI Calculator for Adults** https://www.cdc.gov/healthyweight/assessing/bmi/adult_bmi/ english bmi calculator/bmi calculator.html 227 Additional Screenings AUDIT: Alcohol Use Disorders Identification Tes GAD-7: General Anxieties Disorde test for stress Pain scales: FLACC, Wong-Baker or Numeric 228

HAP Form Instructions (cont.)
-------------------------	--------

Optional screenings

Enter the dates and scores of the screenings on the HAP

- DAST Drug Abuse Screening Test
- GAD-7 Generalized Anxiety Disorder 7 item scale
- AUDIT Alcohol Use Disorders Identification Test
- Falls Risk My Falls-Free Plan identifies risk and provides suggestions to prevent falls
- Pain Scales Administration of appropriate pain scale

229

TRAINING

When to complete an additional screening

- Use your clinical judgment to determine the need and frequency for offering additional screenings
 - Examples:
 - If a client identifies a goal related to pain: one of the three pain screenings
 - If a client voices concerns about their use of alcohol or drugs: the AUDIT or DAST
 - If a client reports falls or fractures: falls risk
 - If a client identifies a goal to reduce stress or anxiety: GAD-7
- If the HAP includes goals or action steps related to one of the optional screenings then the screening must be offered and documented on the HAP

230

AUDIT and DAST

Alcohol Use Disorder Identification Test (AUDIT)

- Dev eloped by the World Health Organization
- 10 multiple choice questions for alcohol only
- 95% accurate in classifying people into risk categories for SUDs
- Accurate across many cultures/nations

Drug Abuse Screening Test 10 (DAST-10)

- 10 Yes/No Questions for poly drug use
- Abstinence based screening tool-meaning there is no safe level for any drug use
- Validated for screening adults
- Places individual in a risk category for Substance Use Disorders (SUDs)

-			
ы	ำไ	10	
П.	aı	1.7	

- More than 1 out of 4 older adults fall each year but less than half tell their doctor
- Falling once doubles the chances of falling again
- 1 out of every 5 falls result in a serious injury
- Best practice would be to ask about falls at every face-to-face visit

My Falls-Free Plan: A Falls Risk Screening Tool

You may find a copy in the Care Coordinator Toolkit at https://www.dshs.wa.gov/altsa/home-and-communityservices/care-coordinator-toolkit The control of the co

233

Pain

- · Pain can affect everyday life
- Best practice for asking about pain at every face to face regardless of condition
 - · If they say yes, get more information
- Three pain scales available
 - 0-10 Numeric Rating Scale (ages 9 year and older)
 - Wong-Baker Faces Pain Rating Scale (ages 3 and older)
 - FLACC Behavioral Pain Assessment Scale (face, legs, activity, cry and consolability. If self-report is not possible. Ages 2 months to 7 years and if individuals any age not able to communicate their pain)

PHQ-9 and GAD-7

Anxiety and depression are the most common mental disorders and often appear together. Screening tools often used include:

- The PHQ-9 which can identify potential depression
- · GAD-7 which can help identify potential anxiety
- · Both tools are most reliable when self-administered
- A positive screening for either or both should lead to a referral to a behavioral health provider or PCP depending on client preference

235

PHQ-9 and GAD-7 Screening Tips

- Normalize the screening; don't make it a big deal
- Some people respond better to terms like "stress" when talking about their anxiety or "sadness" rather than depression
- Everyone experiences sadness and this tool might help identify how it might be impacting you
- Remember the power that stigma holds many people do not want to self-identify
- Treatment can be very effective

236

Translations of PHQ-9 and GAD-7

The website sponsored by Pfizer is located at:

http://www.phqscreeners .com/select-screener



HAP Form Instructions (cont.)	
Enter the date the screening was completed	
Enter the score	
Screening may be completed at any time during each four	
month activity period or more often as clinically indicated	
CONTROL COMMONS ACTIVING COMMONS ACTIVING COMMONS	
238	
HAP: Pages 2 Through 7	
Health Action Flore Michigan Section 100 100 100 100 100 100 100 100 100 10	
Section of the Control of the Contro	
Contract	
1001-00 2004 PNG2	
239	

Short Term Goals

- Enter the short term goal
- Enter the short term goal begin date
- \bullet When a goal ends enter the date and check the reason the goal ended
- Enter the action steps, specifying who will complete the step and the start date
- Goals that are not completed may be carried over to the next four month activity period
- Goals may be revised at any time to reflect changes with the client

Short Term Or Onel Start Del Outcome Completes Revised	· III	Deal End Date:
SUMPLE SHIP	COMPLETION DATE	a(10h \$105

The Health Action Plan (HAP)
Develop goals and action steps that Specific Measurable Achievable Relevant Time-limited	are SMART: Level of Activation SMART Goals Confidence
241	Readiness

Health Action Plan - First Short Term Goal

Long Term Goal

Participate in church activities with my family.

Short Term Goal # 1

Debbie would like to improve stamina and gain strength and be able to remain out of her bed for four hours or more each day.

Action Steps

- Debbie and Care Coordinator will brainstorm common events in Debbie's life that promote activity as well as those that promote inactivity.
- Debbie will maintain activity log for two weeks and review with Care Coordinator during next visit on 10/7/2020.

242

Health Action Plan - Second Short Term Goal

Long Term Goal

Participate in church activities with my family.

Short Term Goal # 2

Debbie would like to decrease use of pain medication.

Action Steps

- Debbie will document use of pain medications, her activity, and functional ability daily starting 12/1/2020 using the pain log provided by the Care Coordinator.
- Debbie will make an appointment with PCP to discuss chronic pain management options by 12/20/2020.
- Care Coordinator will review the pain log and inquire about Debbie's appointment with her PCP during the home visit schedule on 12/28/2020.

Let's Pause to Check for Understanding
--



What experiences have you had offering, administering and providing follow-up to these screenings in the past?

Do you have any questions?

244

Small Group Work



Considering your client's PRISM results, PAM responses and Level of Activation:

- Fill out the HAP form (make up scores as needed for this activity)
- Write the following on the flip chart:
 - One long-term goal
 - · One short-term goal
 - Actions steps to reach the short-term goal
 - · Who will complete the step and bywhen?
 - Which of the 6 Health Home services might the client need now and in the near future?
 - Which optional screenings might be helpful for your client?

245

Maintaining Behavioral Change

Sustaining the gains with healthy strategies

Maintaining behavioral change takes time (usually 6 months to two years)

Monitoring using relapse prevention and resiliency planning

Progressing by realizing that relapse is one step forward on the client's journey

Pursuing new goals and activities

Final Notes About the HAP

- Provide the HAP information to the client, or with the client's consent, to the caregiver and family
- The HAP may be:
 - Printed and mailed
 - Delivered at the face-to-face visit
 - E-mailed using secure mail and/or encryption
- Each face-to-face visit or telephone contact provides an opportunity to discuss and review progress on the HAP
- The HAP is a fluid document that changes with the client's needs and preferences

Let's Pause to Check for Understanding



How can you work with your client to increase the value of the HAP?

Do you have any questions about the HAP?

248

Reducting Resemblations: Care Transillons - Codility Table delines Interney 1, 2017

Care Transitions "Health Care Without Complications"

All materials in this section are adopted from the "Reducing Readmissions: Care Transitions Toolkit" from the WASHINGTON STATE HOSPITAL ASSOCIATION.

To download a copy of the toolkit go to

 $\underline{\text{http://www.wsha.org/wp-content/uploads/WSHACareTransToolkit.pdf}}$

249

TO 4 IN U.S. C.

Н	กร	nital	Readn	nice	sions
П	US	priai	Ittauii	1123	2110112

Research shows that 20% of patients in the U.S. are re-hospitalized within 30 days of discharge.

Addressing social and resource barriers early in the admission not only prevents unnecessary readmissions, but also proactively prevents delayed discharges and unnecessary increases in the length of stay

250

What Causes Readmissions?

- · Unresolved social or resource issues:
 - Medical issues are not always the reason
- Lack of strategies that incorporate both social and medical factors resulting in poorly executed transitions and poor outcomes for the client which impact:
 - Family and support systems
 - Caregivers: paid and unpaid
 - · Client's health and stability

25:



Washington State Care Transitions

Washington State "Care Transitions" is a state-wide initiative to foster safe, timely, effective, and coordinated care as clients move between settings

Care Coordination includes collaborating on the discharge Plan of Care with the primary care physician (PCP) and multidisciplinary care team

How Will You Know if a Client Has Been Hospitalized? Review PRISM data: there is a lag in submission of billing claims Emergency Department Information Exchange (EDIE): find out if your Lead or agency subscribe to this service Some Leads use PreManage, a system that notifies them of emergency department visits and hospital admissions and discharges Find out who at your agency receives these alerts	
Six Strategies for Care Transitions Consistent plan of care with the PCP and home health care (if applicable) upon arrival and discharge from the hospital Coordinated follow up call or visit at discharge Timely visit to PCP Reconciliation of medications soon after transition Client, family, and caregiver education coordinated between settings Support through increased care management for high-risk clients	
Social/Resource Barriers Assessment Evaluate, assess, and complete a needs assessment of client's home-going needs and barriers to care including support requirements. The Katz ADL may be used as a tool for assessing the client's abilities and care needs.	

Social and Resource Barriers

- · Personal care needs
- Other disabilities
- Limited income
- · Limited inco
- Financial reserves
- Unstable or unsafe housing
- Inaccessible housing
- · Coping skills
- Employment
- Health literacy or numeracy
- Lack of an advance directive
- Religious or spiritual support
- Education
- · Substance use history
- Psychiatric history
- Availability of mental health or SUD services
- Demands on other family members or caregivers
- Transportation

256

Client, Family, and Caregiver Follow-up

- What are the discharge orders?
- Do they have a copy of the discharge orders and do they understand them?
- What warning signs or symptoms should be reported to the healthcare provider? Do they have the phone number to the 24 hour nurse line?
- · What follow-up is necessary?
- ${\ensuremath{^{\circ}}}$ Have the follow-up appointments been scheduled?
- Is the client aware of these appointments and do they need transportation and/or an escort to the appointment/s?
- · What are the current medications?

257

Does the Client or Caregiver Know Which Red Flags May Require a Call to the Provider?

- Chest pain or palpitations
- Cough
- Infection
- Blurred vision, loss of vision
- Headache
- Fatigue
- Insomnia or problems sleeping
- Discharge
- Warmth to an affected area
- Fever

- Pain
- Nausea and/or vomiting
- Poor appetite
- Weight loss or weight gain
- Bleeding
- · Constipation or diarrhea
- Difficulty urinating or no urination
- Dizziness
- Falls



Clients who are at very high risk need a quicker and stronger communication process between providers while those at lower risk do not need as intensive of care.

Created by WA physicians and hospitals with evidence from the Institute for Healthcare Improvement

Medication Reconciliation Defined

Medication reconciliation is:

A process of comparing the medications a client took prior to admission to a hospital, nursing facility, or other in-patient center with those ordered by the physician at the time of discharge.

Should also be completed when the client visits their PCP to ensure that the medication record is accurate and up to date.

Reduces the potential for administering the wrong dosage, administering a discontinued medication, taking the same medication more than once (e.g. taking the name brand and the generic of the same medication), and/or using expired medications.

260

Medication Reconciliation

- During the hospital stay: anticipate needs
- Care Coordinator will provide or ensure that it is completed by a qualified professional

Note: clients who discharge from a facility against medical advice (AMA) may not receive their prescribed medications when they exit the facility. The need to follow up on medication orders and to fill prescriptions becomes even more critical.

Medication Reconciliation (cont.)

Who can help reconcile medications?

- Primary care physicians (PCP)
- The PCP's nurse or physician's assistant (PA)
- Family members
- Pharmacists
- · Pharmacies that deliver bubble-packed medications to adult family homes
- · Home Health nurses
- · Adult Day Health Centers
- Nurses in nursing facilities, assisted living, adult family homes, and other institutions

26

Follow-up Scripts from "Reducing Readmissions: Care Transitions Toolkit"





"Teach Back"

Literature shows "Teach Back" is one of the most effective methods for educating clients. Teach Back involves asking the patient, family, or caregiver to recall and restate in their own words what they thought they heard during education or other instructions.

Be aware of the client or caregiver activation level when teaching or using "teach back" techniques.

An example of teach back is to ask your client if they can show you how to locate the number for the 24 –hour nurse helpline

Let's	Cor	ısider	Our	Vignettes

- If Carmella was hospitalized what transition services might you provide?
- How would you work with Sacha if she admits to the hospital and then to the nursing facility and is returning home?

NOTE: when entering a hospital, nursing facility, or other institution introduce yourself to staff each time you enter the facility so staff is aware of your role and services you may offer.

265

What Were the Six Strategies for Care Transitions?

- Ocnsistent plan of care with the PCP and home health care (if applicable) upon discharge
- Coordinated follow up call or visit at discharge
- 3 Timely visit to PCP
- 4 Reconciliation of medications soon after discharge
- 6 Client, family, and caregiver education coordinated between settings
- **6** Support through increased care management for high-risk clients

266

Let's Pause to Check for Understanding



What experience have you had professionally or personally with effective discharge from a hospitalor other inpatients etting?

Do you have any questions about Care Transitions?

Documentation, Quality
Assurance, and Time
Management









Documentation Guidelines

- These are general guidelines
- Suggested practices
- Ask your Lead/s for their guidelines
- Data platforms will vary
- Ask for their client file checklist
- Consult your supervisor
 - What are your agency's requirements?
 - · What are best practices?
- Professional standards for your credential and experience
- Documentation should be completed timely 269



General Format for Documentation

- Name and title of writer
- Date
- Type of contact
- Who contact was with (if language barrier, was there an interpreter?)
- · Core service provided
- Highlights from the conversation
- Objective observations
- Other relevant comments
- Plan for next steps or conclusion
 - Specify due dates and who is responsible
 - If a plan or action is to be completed, was it documented that follow-up occurred in the next note?

General	Tips for Documentation
• Notes are	nart of the client record – he profe

- Notes are part of the client record be professional
- Be objective
- Use spell check
- Do not use all CAPS
- · If quoting a client use quotation marks
- Do not use acronyms, abbreviations or shorthand unless defined in each note
- Remember If it is not documented, it didn't happen

Something to Consider

- If another staff read your narrative would they understand the acronyms, abbreviations or shorthand you use?
- If someone assumed your case could they find a case history?
- Would they know where to pick up after the previous Care Coordinator or allied staff?
 - What referrals need to be completed or need to be managed?
 - What follow-up needs to be completed? Has follow-up been documented?
 - What actions steps are the client, Care Coordinator, or others doing and by when?

272

Documentation Example

FTF w/ Sacha at her home. First time meeting b/c her regular CC is on medical leave. She is 69 y.o. woman living alone and has a CG 4 hpd. She has diabetes and other dx including possible MI. Is a PAM level 4 which doesn't seem right b/c in the last yr she's been to ED 30 x's and hosp. 4 x's w/ most recent in a diabetic coma. Discussed how she needs to follow PCPs orders and tx plan or she could end up in hosp. again w/ serious complications. Sacha nodded and said she understands and will try harder. Plan to f/u next mo. to see if she is following orders.

 $\label{eq:hamiltonian} \mbox{HH Svc} = \mbox{Comprehensive Care Management, Health Promotion } \\ \mbox{Comprehensive Transitional Care} \qquad \mbox{Tier} = 2$

Oual	litv	Assura	ance

- · Leads complete their audits for client records
 - Ask for their case file checklist
- Health Care Authority (in partnership with DSHS)
 - · Audits 10-15 dient files each year
 - Proficiency rate is usually 90%
 - Nine out of ten records reviewed meet the requirement
- Leads often use the results of their internal audits and findings from HCA to develop training
 - · Ask your Lead for technical assistance

What Are Reviewers Looking for in a Client File?

Note: requirements change with each update of the Lead's contract/s. QA elements and focus may change.

275



Core Services

- Does the case narrative indicate which of the six Health Home core service/s was provided during the month?
 - Indicate services provided by allied staff under the supervision or coordination of the Care Coordinator
 - If allowed, allied staff should document their activities in the case narrative

Com	nleti	on o	f Fo	orms
COIII	picu	UIIU	11 11	כווווכ

- · Was the Participation Authorization and Information Sharing Consent Form completed, signed, and dated?
 - If not is there a note in the case narrative citing the reason the form was not completed and signed by the client, parent, or guardian?
 - Were additions and deletions dated and initialed by the client, parent, or client representative (POA, guardian)?
- Was the Opt-Out Form completed, signed, and dated?
 - If the client does not complete the form is there a narrative documenting the client's verbal request to opt-out?
 - · Was a copy of the completed form mailed to the client (whether completed by the client or the Care Coordinator)

Required and Additional Screenings

- Required Screenings PAM®, CAM®, or PPAM®, BMI, Katz ADL, PHQ-9 or PSC-17
 - Document the date required screenings were completed and the score (and level for the Patient Activation Measures *)
 - If the client, parent, or guardian decline to complete a screening document the date it was offered. Also include the reason if known
 - For example, a parent declined the PPAM ® because the child was ill and needed the
- Additional screenings DAST, GAD-7, AUDIT, Falls Risk, Pain
 - Required when applicable to the client's health needs
 - · If the client, parent, or guardian decline to complete additional screening document the date it was offered and the reason if known
- · Document follow-up to referrals or other actions

HAP

- · Were all fields completed?
 - If not, is there an explanation?
- Were person-centered short and long term goals created? Action steps to achieve the client's prioritized short term goal and who is responsible to complete each step
- Was HAP information shared with the client, parent, family member, or guardian?
 - · Formats vary depending on the Lead

Key Considerations t	to Document
----------------------	-------------

- In-person visit with the client to develop and finalize the HAP
- Completion of the HAP within 90 days of enrollment with the Care Coordination Organization
- · Case narrative supports the Tier that was billed
- Monthly in-person and telephonic interactions with the client
- Completion and update of the HAP (including screenings) at least once during every activity period or when there was change in the client's health status, needs, or preferences

Key Considerations to Document (cont.)

- Provision of services in a culturally competent manner with equal access for clients with language and communication barriers
- · Services are delivered
- In the client's primary language (document if interpreter used)
- Recognizing cultural differences and obstacles faced by persons with a developmental disability
- Recognizing the dynamics of substance use
- Provision of services tailored to special needs such as functional impairment or environmental factors

281

Key Considerations to Document (cont.)

- Communication and coordination between the client and the client's service providers and other support systems to address barriers and achieve health action goals
- Provision of individual and family support through care coordination and care transition activities
- Development and/or coordination of multidisciplinary teams to provide assistance as needed

Key Considerations to Document (cont.)	
Provision of educational materials that: promote improved clinical outcomes	
increase self-management skills are appropriate to the level of activation	
Note: Document any educational information sent out in client's preferred language if other than English	
 Use of peer supports to increase the client's knowledge about their health conditions and adherence to treatment 	
283	
Key Considerations to Document (cont.)	
 Discussion about advance care planning with the client, parent, or collateral 	
Within the first year that the client agrees to participate in the Health Home Program	
 If this was not completed by a previous Care Coordinator then document that a discussion was offered to the client, parent, family member, or guardian 	
 Assistance provided to maintain the client's eligibility for programs and services as needed 	
• Referrals to available community resources to help achieve	
health action goals	
Key Considerations to Document (cont.)	
Process for notification of the client's admission or discharge	
from an emergency department or an inpatient setting Because we do not duplicate benefits, if another agency, such as the MCO, is providing care transitions, note this is the case narrative	
Provision of care transition to prevent avoidable readmissions	
after discharge from an inpatient facility and ensure proper and timely follow-up care	<u> </u>
 Participation by the Care Coordinator in all appropriate phases of care transition 	

Potential	Monitoring	Ouestions
1 Ottliuui	I'I OIII COI IIIS	O uco uono

- **Encounter Data:** Evidence that the submitted encounter data matched the service level provided
- Consent: Evidence of a completed (updated when applicable) and signed "Health Home Information Sharing Consent Form"
- Timely Interactions: Evidence of periodic in-person and telephonic interactions with enrollees
- Initial HAP: Evidence that the date of service on the G9148 encounter submission was within 90 days of enrollment of the review period, as required

Potential Monitoring Questions

- Health Action Plan: Evidence the HAP was completed and updated every activity period (or more frequently when there was a change in the enrollee's health status, needs, or preferences)
- Goals: Evidence within the HAP of the enrollee's personcentered short-term and long-term health action goals
- Action Steps: Evidence within the HAP of goal-related action steps and identification of who was responsible to complete each step

287

Potential Monitoring Questions

- Activation Measure: Evidence within the HAP of documented, completed and scored activation measures, including: Patient Activation Measure/PAM®; Caregiver Activation Measure/CAM®; and Parent Patient Activation Measure/PPAM®
 - Note: If the enrollee declined screening, the HAP must document the date and reason the enrollee declined
- Required Screenings: Evidence within the HAP of required screenings, including: BMI; KATZ-ADL; PHQ 9 or PSC 17 scores
 - Note: If the enrollee declined screening/assessment, the HAP must document the reason and date the enrollee declined

Potential	Monitoring	Ouestions
1 Ottliuui	I'I OIII COI IIIS	O acs aons

- Additional Screenings: Evidence of the use of additional screenings (e.g., GAD7, Falls risk, pain level) when applicable
 - Note: If the enrollee declined screening/assessment, the HAP must document the reason and date the enrollee declined
- HAP Provided: Evidence the Care Coordinator provided HAP information to the enrollee, or to the enrollee's caregiver and family with the enrollee's consent

Potential Monitoring Questions

- Communication: Evidence the Care Coordinator facilitated communication and coordination between the enrollee and their providers and other support systems, in an effort to address identified barriers and achieve health action goals
 - (Other support systems may include, but are not limited to family, caregivers, primary care providers, mental health treatment providers, and authorizers of long term services and supports and/or chemical dependency treatment providers)

290

Potential Monitoring Questions

- Multidisciplinary Team: Evidence the Care Coordinator developed and coordinated multidisciplinary teams to review and provide assistance with the enrollee's case when applicable
- Health Promotion Materials: Evidence the Care Coordinator provided or provided access to educational materials, based on the enrollee's level of activation and chronic conditions, including, but not limited to: Customized educational materials; Wellness and prevention education specific to the enrollee's chronic conditions; Mentoring and modeling communication with providers; and Links to resources

P	otential	M	onito	ring	0	uestions	
	ottitiai	1.1.		11115	v	ucsuoni	J

- Person-Centered Care Coordination: Evidence demonstrating person-centered care coordination occurred with interventions tailored for the medical, social, economic, behavioral health, functional impairment, cultural and environmental factors that affect the enrollee's health and health care choices by:
 - Recognizing cultural differences when developing the HAP
 - Understanding the dynamics of substance use disorder without judgement
 - * Recognizing obstacles faced by persons with developmental disabilities
 - Providing assistance to the enrollee and his or her caregivers in addressing the obstacles
- · Treating enrollees with respect or dignity

Potential Monitoring Questions

- Transitional Care: Evidence of comprehensive transitional care addressing the enrollee's specific health needs to prevent avoidable readmission after discharge from an inpatient facility to include proper and timely follow-up care
- Notification System: Evidence of a prompt notification process of the enrollee's admission or discharge from an emergency department or an inpatient setting including the documentation of follow up care

293

Potential Monitoring Questions

- Advance Care Planning: Evidence that the CC documented discussion regarding advance care planning with the enrollee
- Individual and Family Support: Evidence the CC provided individual and family support when providing care coordination, care management, and transitional care activities when applicable
- Community Resources: Evidence of identification and referral to available community resources to help achieve health action goals
- i.e.: Long-term services and supports; Mental health services; Substance use disorder services; Legal services; and Food banks

Potential	Monitoring	Ouestions
1 Ottliuui	I'I OIII COI IIIS	O uco uono

- Assistance with Eligibility: Evidence the Care Coordinator assisted the enrollee in obtaining and maintaining eligibility as needed for services
 - i.e.: Health care services; Disability benefits; Housing; Personal needs; and Legal services
- Cultural Competency: Evidence the Care Coordinator provided services with cultural humility that addresses health disparities through direct interaction with the enrollee in his or her primary language

Potential Monitoring Questions

- · Screening Follow-up:
 - Evidence in the file for referrals to providers (PCP or behavioral health provider) when the PHQ-9 score is above 10
 - Evidence in the file the CC used the PAM®, CAM®, or PPAM® to target tools and resources commensurate with the enrollee's level of activation

296

Time Management



- Plan your day/week by scheduling time for:
 - Outreach calls and letters
 - Face-to-face visits
 - Follow-up calls
 - · Making and actively managing referrals
 - Working with allied staff and multidisciplinary care teams
 - Documentation
- Schedule time for responding to EDIE or PreManage alerts
 - Carve out time in your schedule and if no one has been hospitalized or admitted in the ED use this time for the above activities

Let's Pause to Check f	for Understanding			
	What tips can you share			
202	that have helped you better manage your caseload?			
248	Do you have any questions?			
* 11 4				
298				
First Meeting, Safety and				
Incident Repor				
299				
299				
Firstvisit				
• The first visit is a lot about ma	aking connections and giving the			
client time to tell you what the them too much with informat	tion			
 Create a folder to take with y will need for the client 	ou that includes everything you			

What to bring to the first visi	W	Vhat	to	bring	to t	he	first	visi	t
---------------------------------	---	------	----	-------	------	----	-------	------	---

- Client phone number and current address, directions or specific instructions on
- HH Participation authorization and information sharing consent form
- ROI for SUD
- HH Adolescent Information Sharing Consent (if necessary)
- PAM/PPAM/CAM
- KATZ
- PHQ-9/PSC-17
- BMI chart
- · All optional assessments (Pain, Falls, DAST, AUDIT, and GAD-7)
- · Advanced care planning literature (may hold off for future visit)

What to bring to the first visit

- Paper HAP
- Goal Setting and Action Planning Worksheet
- Crisis number and non-emergency police number
- Other numbers for common resources/referrals
- · List of numbers for local community resources (food bank, DME lending programs, etc.)
- · List of DSHS workers (APS, case manager, financial workers)
- Agency or MCO specific resources
- · HH brochure
- · Business card
- · Paper and pen and/or laptop
- · Cell phone to make any necessary calls for client

Safety

Tips for Safety Before a Home Visit

- · While scheduling the visit ask the client about their home environment:

 - enfulrOffficit.

 Are there pets, will they be on a leash or in a fenced yard?

 Do others live with the client or will others attend the visit, what is their relationship?
 - Ask about the neighborhood, get directions, and ask if there are any special instructions for access to the home or parking
- Check out the location to determine if it is in a potentially dangerous area
- · Schedule appointments when travel may be easier (e.g. avoid rush hour or inclement road conditions when temperatures drop)

Sa	fet	J

Tips for Safety Before Leaving the Office

- Ensure that your cell phone is fully charged
- Make certain that your vehicle has plenty of gas to ensure that you are not stranded in isolated areas
- Avoid carrying a purse and valuables. Dress conservatively wearing shoes that will enable you to move quickly
- Leave your itinerary with the client's name and contact information with a coworker or supervisor. Consider partnering with a coworker and call when you are safely in your vehicle to report that your departure from the visit

304

Safety

When You Arrive at the Home

- Park your vehicle so that it cannot be blocked in a driveway, facing the direction you will leave. Consider parking the vehicleso it is out of sight of the home
- Consider calling the client from your vehicle to let them know that you have arrived $\,$
- Be aware of hazards or other safety concerns such as broken porch steps, unrestrained pets or yelling and other aggressive actions
- · Choose a location to sit that allows you access to an exit
- Trust your intuition, remain calm, and do not complete the visit if you feel unsafe. Safety first!

305

306

Incident Reporting



Resources

307

Non-emergency Medical Transportation (NEMT) Program

- Transportation may be provided to Health Home clients for services when the client is homeless or lives in an unhealthy or unsafe environment
- A Care Coordinator may request NEMT to alternate locations to conduct care coordination services such as:
 - obtaining consent to participate
 - administering health assessments
 - developing the HAP

308

AINING

Interpreter Services

- For information refer to document in the Classroom Training Manual
 - Ask your manager or accountant for your agency's National Provider Identification (NPI) number so that you can schedule interpreters
 - Your agency may have more than one NPI number so ask which number you should use for your Health Home clients



Working with Providers

Offer this letter when visiting your client at nursing facilities, hospitals, and other residential providers (assisted living facilities and adult family homes)



310

Best Practices When Visiting Facilities

- Follow facility sign in/out procedure
- Attempt to adhere to reasonable visiting hours
- Understand basic workings of facilities and roles of staff
- Prearrange visits and private space for meetings
- Provide Residential Introduction Letter
- $\bullet \ \ \text{Have organization identification} \\$
- Attain contact information of staff
- Knock and wait for response before entering client's room
- Communicate with HCS case manager (if applicable)

311

Community Living Connections (CLC)

Easy to navigate:

- Website is located at: https://washingtoncommunitylivingconnections.org/consumer/
- Enter zip for client's location and select type of service



DSHS Health Home Website Quick Links:

Care Coordinators Links

- Contains Guide Sheets
 - Advance Care Planning
 - Depression Screening and Intervention
- Training schedules and invitations to monthly webinars
- Educational materials for health promotion
- Classroom Training Manual and PowerPoint Handout
- Health Home Herald issues



Advance Care Planning



Developing Relationships and Resources

Lead Organizations have completed outreach activities with local hospitals and institutions

Care Coordination Organizations are encouraged to complete their own outreach to community partners and medical and behavioral health providers to establish working relationships to aid in their care coordination activities

Communicate with case managers and staff at HCS, DDA, AAAs, and other agencies about the program and your role

315

T .)	D		C1 1	1 (TT 1		11
Let's	Pause	to	Chec	k for	una	erstar	ıdıng

Do you have any questions?



316

Additional Training

Required Special-topic Training Optional Training

Required Training for Fee-for-Service and MCO Health Home Program

Special topic learning modules are located at the DSHS Health Home website: https://www.dshs.wa.gov/altsa/home-and-community-services/washington-health-

home-program-going-training

The mandated topics are:

- Outreach and Engagement Strategies
 Navigating the LTSS System
 Cultural and Disability Competence Considerations

- Assessment Screening Tools
 Coaching and Engaging Clients with Mental Health Needs
 Medicare Grievance and Appeals (required if working for Duals)

Register and Join for Our Monthly Webinars

Ask your Lead for the link to register for each quarterly series or visit the DSHS Care Coordinators website for invitations

https://www.dshs.wa.gov/altsa/ washington-health-homeprogram-%E2%80%93-traininginvitations

319



DSHS Website is Located At:

 $\underline{https://www.dshs.wa.gov/altsa/washi.ngton-health-home-prog\,ram}$



320

321

HCA Website is Located At: https://www.hca.wa.gov/.hillers.providers/programs.and.services/healthhomes Qame. A new Acard. created Billers and providers Resources Go this page Grand-Advances Go this page Grand-Advances Grand-Adv

Let's Pause to Check for Understanding	
Do you have any final questions?	
200	
3-83	
*	
322	
	_
Review of the Learning Objectives	
What are the six core Health Home Services?	
Describe outreach and engagement strategies you will use.	
Describe the key uses of PRISM in care coordination.	
How could you use the results of the patient, parent, or caregiver activation measures in working with your client or	
their collaterals?	
323	
323	
Daview of the Learning Objectives (cont.)	
Review of the Learning Objectives (cont.)	
What are the required and optional screens used in the HAP?	
How does the HAP support the client to improve their health and self-management?	
What are the crucial activities of comprehensive transitional	
care?	

